
C&K[®] Switch Datasheet

HDS Series Micro Mini Side Actuated Surface Mount Detect Switches





Specifications

| Contact Rating | 1mA @ 5 VDC | | |
|----------------------------------|--|--|--|
| Operating Life | 100,000 cycles min. | | |
| Contact Resistance | 1 Ω max. initial | | |
| Insulation Resistance | 100 M Ω min. between adjacent contacts. | | |
| Operating/Storage Temperature | -40°C to 80°C | | |
| Packaging | Tape & reel; 5,000 per reel | | |
| Pre Travel | 0.17 mm min. | | |
| Over Travel | 0.5 mm min. | | |
| Total | 1.07 mm | | |

Description

HDS series switches are micro mini side actuated surface mount detect switches, typically incorporated into leading product designs for consumer electronics, medical devices and ATCA and MicroTCA devices. With a low profile – the package sits just 1.4mm off the PCB – the HDS switches come with optional top or side actuation and a choice of right or left options, meaning designers can use it no matter what their design specs are.

Features & Benefits

- Low profile package sits just 1.4 mm off PCB
- Design allows top or side actuation
- Right and left options available

Applications

- Consumer electronics
- Computers
- Medical devices

- Low actuation force, 30 grams max.
- Pick and place compatible, available in tape & reel packaging
- RoHS compliant and compatible

Mobile communications

ATCA and MicroTCA devices

Materials

| Base | LCP, HDS001L: Gray, HDS001R: Black |
|---------------|---|
| Cover | PA 46 (UL 94 V-0) |
| Actuator | PA 46 (UL 94 V-0), HDS001L: Gray, HDS001R: Black |
| Movable Blade | Stainless Steel, Ag over Ni plating |
| Terminal | Phosphor Bronze, Ag plating |


Ordering Number

Our easy build-a-switch concept allows you to mix and match options to create the switch you need. To order, select desired option from each category and place it in the appropriate box.

- R: Right Actuation L: Left Actuation




Dimensions (mm)




| Part Number | Packaging | Schematic |
|-------------|-------------|-----------|
| HDS001R | Tape & Reel | N.O. |


PCB Mounting



Dimensions (mm)



PCB Mounting





| Part Number | Packaging | Schematic |
|-------------|-------------|-----------|
| HDS001L | Tape & Reel | N.O. |



Tape & Reel HDS001R


Dimensions (mm)






HDS001L

Dimensions (mm)




1.2

SECTION B-B



2.35

2.35



Note: Quantity per reel: 5,000 pieces

Disclaimer Notice - Information furnished is believed to be accurate and reliable. However, users should independently evaluate the suitability of and test each product selected for their own applications. Littlefuse products are not designed for, and may not be used in, all applications. Read complete Disclaimer Notice at http://www.littelfuse.com/disclaimer-electronics

